national diagnostics

Conforms to regulation (EC) no. EU 453/2010

## SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product Identifier** 

Product Name: AcrylaGel

Product Number: EC-810

1.2 Relevant Identified Uses of the Substance/Mixture and Uses Advised Against Investigational research by professional users

## 1.3 Details of the Supplier of the Safety Data Sheet

Manufacturer National Diagnostics 305 Patton Drive Atlanta, GA 30036 (404) 699-2121 (800) 526-3867 info@nationaldiagnostics.com

## 1.4 Emergency Telephone Number

## ChemTel Inc.

Contract number MIS8894340 1-800 255-3924 (United States, Canada, Puerto Rico & US Virgin Islands) 01-800-099-0731 (Mexico) 400-120-0751 (China) 000-800-100-4086 (India) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) +1-813-255-3924 (All other regions)

## **SECTION 2 - HAZARDS IDENTIFICATION**

## 2.1 Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 [EU-GHS/CLP]

- H302 Acute Toxicity-Oral (Category 4)
- H312 Acute Toxicity-Dermal (Category 4)
- H315 Skin Corrosion/Irritation (Category 2)
- H317 Skin Sensitizer (Category 1)
- H319 Serious Eye Damage/Eye Irritation (Category 2A)
- H332 Acute Toxicity-Inhalation (Category 4)
- H340 Germ Cell Mutagenicity (Category 1B)
- H350 Carcinogenicity (Category 1B)
- H361 Toxic to Reproduction (Category 2)
- H372 Specific Target Organ Toxicity Following Repeated Exposure (Category 1)

# 2.2 Label Elements

## **GHS LABEL ELEMENTS AND CLASSIFICATION**

**GHS Label Elements** 

#### DANGER

- H302 Harmful if swallowed
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- P201 Obtain special instructions before use.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician .

P308+P360 - IF ON CLOTHING: Rinse immediately contaminated CLOTHING and SKIN with plenty of water before removing clothes.

P308+P313 - IF exposed or concerned: Call a POISON CENTER or doctor/physician.

## **SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2 Mixture

Chemical Names/Description

Aqueous solution of acrylamide.

## **Component List**

Component	% Comp.	CAS#	EC #	1278/2008 Classification
Acrylamide	30	79-06-1	201-173-7	H301, H312, H315, H317, H319, H332, H340, H350, H361, H372

# **SECTION 4 - FIRST AID MEASURES**

# 4.1 Description of First Aid Measures

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

#### Ingestion

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician.

#### Skin

Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

### Eyes

Immediately flush eyes with plenty of water for at least fifteen minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

## 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

#### Inhalation

Contact with this material by inhalation may cause nervous system effects. See ingestion effects for more details.

#### Ingestion

Contact with this material by any route (eyes/skin, inhalation or ingestion) may cause nervous system effects (neurotoxicity). These effects can result from a single overexposure but are more likely to occur after repeated exposures to small amounts over a period of several days or weeks. Signs and symptoms of toxic effects include increased sweating of the hands and feet, numbness, tingling and weakness in the extremeties, unsteady gait and decreased reflexes

#### Skin

Acrylamide is readily absorbed through unbroken skin. If the exposure route is dermal, the signs and symptoms described above under 'Signs and Symptoms of Overexposure - Ingestion' may be preceded by peeling and redness of skin at the areas of exposure, normally the hands and feet.

## Eyes

Contact with this material by eyes may cause nervous system effects. See 'Signs and Symptoms of Overexposure - Ingestion' above for more details.

## 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Unknown/not applicable

## **SECTION 5 - FIRE FIGHTING MEASURES**

## 5.1 Extinguishing media

Use media appropriate to the primary cause of fire.

## 5.2 Special Hazards Arising from the Substance/Mixture

#### **Hazardous Combustion Products**

Thermal decomposition products may include toxic oxides of nitrogen and carbon.

## **Hazardous Decomposition Products**

Upon heating, may produce ammonia, nitrogen oxides, cyanuric acid, cyanic acid, biuret, carbon dioxide, carbon monoxide, and hydrogen.

#### Hazardous Polymerization

May occur

## 5.3 Advice for Firefighters

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

## 5.4 Further Information

No data available.

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal Precautions

If water solvent has evaporated, wear NIOSH approved air-purifying respirator.

## **6.2 Environmental Precautions**

Prevent discharge into the environment. Dike spills and stop leakage where practical. Do not allow material to enter drains.

## 6.3 Methods and Materials for Containment and Cleaning Up

Contain and clean up spill immediately, prevent from entering floor drains. Contain liquids using absorbents. Shovel all spill materials into disposal drum. Scrub spill area with detergent, flush with copious amounts of water.

## 6.4 References to Other Sections

For disposal information, see Section 13. For protective clothing and equipment, see Section 8.

# **SECTION 7 - HANDLING AND STORAGE**

## 7.1 Precautions for Safe Handling

Avoid contact and inhalation. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling. Wear special protective equipment (Sec. 8) where exposures may exceed established levels.

## 7.2 Conditions for Safe Storage (including any incompatibles)

Keep in a tightly closed container, stored in a cooled, dry, ventilated area. Protect from physical damage. Isolate from incompatible materials (section 10).

### Incompatibles

Acrylamide reacts with acids, oxidizing agents, and bases. Spontaneously reacts with hydroxyl-, amino-, and sulfhydryl- containing compounds. Avoid vinyl polymerization initiators or contamination with aluminum, iron, copper, brass, and bronze.

## 7.3 Specific End Uses

Investigational research by professional users

## **SECTION 8 - EXPOSURE CONTROLS/PERSONAL PRECAUTIONS**

## **8.1 Control Parameters**

ACGIH Threshold Limit Value (TLV): 0.03 mg/m3 OSHA Permissible Exposure Limit (PEL): 0.3 mg/m3 (TWA) (skin) for solid

## 8.2 Exposure Controls

### **Engineering Controls**

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source.

### **Respiratory Protection**

If exposure limits are exceeded, wear a full-face respirator with organic vapor cartridge and high efficiency dust mist filter. Beyond fifty times exposure limits or when exposure levels are not known, wear a full-face piece positive pressure respirator.

#### **Eye Protection**

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

### **Skin Protection**

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

## **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on Basic Physical & Chemical Properties

······································			
a. Appearance	Clear, colorless solution	b. Odor	None
c. Odor Threshold	N.A.	d. pH	Neutral
e. Melting/Freezing Point ( <sup>o</sup> C)	-10	f. Boiling point ( <sup>o</sup> C)	102
g. Flash Point ( <sup>o</sup> C)	N.A.	h. Evaporation Rate	1.0
i. Flammability	N.A.	j. Upper/Lower Flammability or Explosive Limits	N.A.
k. Vapor Pressure	Water	I. Vapor Density (Air = 1)	1.12
m. Relative Density	1.07	n. Water Solubility	Soluble
o. Partition Coefficient n-octanol/water	Mixture	p. Autoignition Temperature (°C)	N.A.
q. Decomposition Temperature ( <sup>o</sup> C)	N.A.	r. Viscosity	No data available.
s. Explosive Properties	Polymerizes exothermically	t. Oxidizing Properties	Not an oxidizer

## **SECTION 10 - STABILITY AND REACTIVITY**

#### 10.1 Reactivity

HAZARDOUS POLYMERIZATION: Material may be subject to violent polymerization in absence of oxygen, exposure to heat, light or pressure, or in presence of acids, bases, oxidizing materials, initiators, or reducing agents.

#### 10.2 Chemical Stability

Stable under ordinary conditions of use and storage.

#### 10.3 Possibility of Hazardous Reactions

May occur

#### 10.4 Conditions to Avoid

Heat, shock, UV light, and incompatibles.

#### 10.5 Incompatible Materials

Acrylamide reacts with acids, oxidizing agents, and bases. Spontaneously reacts with hydroxyl-, amino-, and sulfhydryl- containing compounds. Avoid vinyl polymerization initiators or contamination with aluminum, iron, copper, brass, and bronze.

#### **10.6 Hazardous Decomposition Products**

Upon heating, may produce ammonia, nitrogen oxides, cyanuric acid, cyanic acid, biuret, carbon dioxide, carbon monoxide, and hydrogen.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

#### **Product LD50 Values**

Oral Rat LD50 (mg/kg) 330-1330

Dermal Rabbit LD50 (mg/kg)

2913

#### **Component Cancer List Status**

	NTP Carcinogen			
	Known	Anticipated	IARC Category	
Acrylamide	No	Yes	2A	

## **Potential Health Effects**

#### Inhalation

May cause drowsiness, tingling sensations, fatigue, weakness, stumbling, slurred speech, and shaking. May cause central and peripheral nervous system damage. Severe intoxications may cause permanent nerve damage. Causes irritation to the respiratory tract.

#### Ingestion

Toxic! May cause systemic poisoning. May cause drowsiness, tingling sensations, fatigue, weakness, stumbling, slurred speech, and shaking. May cause central and peripheral nervous system damage. Severe intoxication may cause permanent nerve damage. May affect reproductive system and act as a teratogen.

#### Skin

May cause irritation and redness. Can be absorbed through the skin causing systemic poisoning; symptoms may parallel ingestion.

## Eyes

Acrylamide solutions may cause eye irritation.

## Carcinogenicity

Acrylamide is suspected as a cancer hazard. May cause cancer. Listed by NTP as a suspected carcinogen. Acrylamide is known to the State of California to cause cancer.

## Mutagenicity

Acrylamide was negative in the Ames assay both with and without metabolic activation.

## **Reproductive Toxicity**

Acrylamide induced male reproductive toxicity has been demonstrated in Long-Evans rats where given greater than or equal to 15 mg/kg/day acrylamide orally by gavage for five consecutive days. In this study, males receiving greater than or equal to 15 mg/kg/day acrylamide had a reduced fertility index.

## Teratogenic Effects

Not Available.

## Routes of Entry

Contact with this material by any route of exposure (eye/skin, inhalation or ingestion) may cause serious adverse health consequences.

## **Target Organ Statement**

### SECTION 12 - ECOLOGICAL INFOMATION 12.1 Toxicity

-	Vertebrates	Invertebrates	Algae	Microorganisms
Aquatic Toxicity (ppm unless otherwise noted)	96 hr LC50: 180ppm (Rainbow Trout)	48-hour EC50: 98 mg/l (Daphnea)	ICA50 (growth inhibition): 67.7 mg/l (Selenastrum capricornutum)	No data
	Birds	Arthropods	Plants	Microorganisms
Terrestrial Environment Toxicity (ppm unless otherwise noted)	No data	No data	No data	No data

#### 12.2 Persistence and Degradability

Readily biodegradable: The test material was found to degrade approximately 100% in 28 days in the OECD Closed Bottle Test (301D).

#### **12.3 Bioaccumulative Potential**

No data

#### 12.4 Mobility in Soil

No data

### 12.5 Results of PBT and vPvB Assessment

Not PBT or vPvB

### **12.6 Other Adverse Effects**

No data

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

## **13.1 Waste Treatment Methods**

Offer surplus or non-recyclable product to licensed disposal company. Disposal is subject to user compliance with applicable law and product characteristics at time of disposal. Dispose of packaging as product.

## **SECTION 14 - TRANSPORT INFORMATION**

	ADR/RID	IATA	IMO	DOT
14.1 UN Number	N.A.	N.A.	N.A.	N.A.
14.2 Shipping Name	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.3 Hazard Class	N.A.	N.A.	N.A.	N.A.
14.4 Packing Group	N.A.	N.A.	N.A.	N.A.
14.5 Environmental Hazards	N.A.	N.A.	N.A.	N.A.
14.6 Special Precautions	N.A.	N.A.	N.A.	N.A.

## **SECTION 15 - REGULATORY INFORMATION**

## 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance/Mixture United States

#### **TSCA Regulatory Statement**

All intentional ingredients are listed on the TSCA Inventory.

#### SARA 311/312 Hazard Categories

Component	Fire	Pressure	Reactivity	Acute	Chronic
Acrylamide	No	No	Yes	Yes	Yes

### Europe

EEC Regulatory

All intentional ingredients are listed on the European EINECS Inventory.

## **SECTION 16 - OTHER INFORMATION**

## **Revisional Updates**

4/26/2019 - Updated Section 1.4 5/29/2015 - Updated Sections 2.1 and 3.2 1/28/2015 - Updated Sections 2.1 and 2.2 7/16/2013 - Released Version 1.0

## **NFPA Codes**

Health 2 Flammability 1 Reactivity 1

## Dangers

Acrylamide H302 - Harmful if swallowed.

- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.

**MANUFACTURER DISCLAIMER:** The information given herein is offered in good faith as accurate, but without guarantee. Conditions of the use and suitability of the product for particular uses are beyond our control. All risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.