SAFETY DATA SHEET

national diagnostics

Conforms to regulation (EC) no. EU 453/2010

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name: TBST 10X Product Number: EC-882

1.2 Relevant Identified Uses of the Substance/Mixture and Uses Advised Against

Investigational research by professional users

1.3 Details of the Supplier of the Safety Data Sheet

Manufacturer

National Diagnostics 305 Patton Drive Atlanta, GA 30036 (404) 699-2121 (800) 526-3867

info@nationaldiagnostics.com

1.4 Emergency Telephone Number

ChemTel Inc.

Contract number MIS8894340
1-800 255-3924 (United States, Canada, Puerto Rico & US Virgin Islands)
01-800-099-0731 (Mexico)
400-120-0751 (China)
000-800-100-4086 (India)
1-300-954-583 (Australia)
0-800-591-6042 (Brazil)
+1-813-255-3924 (All other regions)

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 [EU-GHS/CLP]

H315 - Skin Corrosion/Irritation (Category 2)

H320 - Serious Eye Damage/Eye Irritation (Category 2B)

H335 - Specific Target Organ Toxicity, Single Exposure (Category 3)

2.2 Label Elements

GHS LABEL ELEMENTS AND CLASSIFICATION

GHS Label Elements



WARNING

H315 - Causes skin irritation.

H320 - Causes eye irritation.

H335 - May cause respiratory irritation.

P264 - Wash skin thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P332+P313 - IF SKIN irritation occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing.

P304+P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep

at rest in a position comfortable for breathing.

2.3 Other Hazards

None found.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Chemical Names/Description

Aqueous buffer

Component List

Component	% Comp.	CAS#	EC#	1278/2008 Classification	
Tris-Base	3	77-86-1	201-064-4	H315, H319, H335	
Potassium Chloride	< 1	7447-40-7	231-211-8	N.A.	
Polysorbate 20	< 1	9005-64-5	500-018-3	N.A.	

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Ingestion

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician.

Skin

Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eyes

Immediately flush eyes with plenty of water for at least fifteen minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Inhalation

Tris-Base:

Coughing, shortness of breath.

Potassium Chloride:

Inhalations of high concentrations of dust may cause nasal or lung irritation.

Polysorbate 20:

Not expected to be a health hazard by inhalation.

Ingestion

Tris-Base:

Symptoms may include nausea, vomiting, and diarrhea. Large oral doses may cause weakness, collapse, blood clotting, and coma. The estimated lethal dose of Tris Base is 50 grams dry solid.

Potassium Chloride:

Large quantities can produce gastrointestinal irritation and vomiting.

Polysorbate 20:

Abdominal spasms, diarrhea.

Skin

Tris-Base:

Redness, itching, and pain.

Potassium Chloride:

May cause skin irritation.

Polysorbate 20:

Redness, swelling.

Eyes

Tris-Base:

Redness, itching, and pain.

Potassium Chloride:

Causes eye irritation. May cause chemical conjunctivitis.

Polysorbate 20:

Pain, redness.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Unknown/not applicable

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishing media

Water spray, dry chemical, alcohol-resistant foam, or carbon dioxide.

5.2 Special Hazards Arising from the Substance/Mixture

Hazardous Combustion Products

Highly toxic gases may be involved in fires of this product.

Hazardous Decomposition Products

Oxides of the contained metal and halogen, possibly also free, or ionic halogen

Hazardous Polymerization

5.3 Advice for Firefighters

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

5.4 Further Information

No data available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions

Wear appropriate protective equipment as specified in Section 8.

6.2 Environmental Precautions

Prevent discharge into the environment. Dike spills and stop leakage where practical. Do not allow material to enter drains.

6.3 Methods and Materials for Containment and Cleaning Up

Use absorbent material to collect and contain for salvage or disposal.

6.4 References to Other Sections

For disposal information, see Section 13. For protective clothing and equipment, see Section 8.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Avoid contact and inhalation. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling.

7.2 Conditions for Safe Storage (including any incompatibles)

Keep in a tightly closed container, stored in a cooled, dry, ventilated area.

Incompatibles

Tris-Base:

No incompatibility data found.

Potassium Chloride:

Bromine trifluoride; potassium permanganate plus sulfuric acid.

Polysorbate 20:

Strong oxidizers, acids.

7.3 Specific End Uses

Investigational research by professional users

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PRECAUTIONS

8.1 Control Parameters

Component: Tris-Base

ACGIH Threshold Limit Value (TLV): none established OSHA Permissable Exposure Limit (PEL): none established

Component: Potassium Chloride

ACGIH Threshold Limit Value (TLV): 10 mg/m3 OSHA Permissable Exposure Limit (PEL): 15 mg/m3

Component: Polysorbate 20

ACGIH Threshold Limit Value (TLV): none established OSHA Permissable Exposure Limit (PEL): None established

8.2 Exposure Controls

Engineering Controls

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source.

Respiratory Protection

For conditions of use where exposure to the dust or mist is apparent, a full-face dust/mist respirator may be worn. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator.

Eye Protection

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Skin Protection

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical & Chemical Properties

a. Appearance	Clear, colorless solution	b. Odor	None
c. Odor Threshold	N.A.	d. pH	7
e. Melting/Freezing Point (°C)	0	f. Boiling point (°C)	104
g. Flash Point (°C)	N.A.	h. Evaporation Rate	N.A.
i. Flammability	N.A.	j. Upper/Lower Flammability or Explosive Limits	N.A.
k. Vapor Pressure	N.A.	I. Vapor Density (Air = 1)	N.A.
m. Relative Density	1.05	n. Water Solubility	Miscible
o. Partition Coefficient n-octanol/water	Mixture	p. Autoignition Temperature (°C)	N.A.
q. Decomposition Temperature (°C)	N.A.	r. Viscosity	No data available.
s. Explosive Properties	N.A.	t. Oxidizing Properties	N.A.

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

No Data

10.2 Chemical Stability

Stable under ordinary conditions of use and storage.

10.3 Possibility of Hazardous Reactions

Will not occur under normal conditions of use (See Sections 10.4 & 10.5).

10.4 Conditions to Avoid

No information found.

10.5 Incompatible Materials

Tris-Base:

No incompatibility data found.

Potassium Chloride:

Bromine trifluoride; potassium permanganate plus sulfuric acid.

Polysorbate 20:

Strong oxidizers, acids.

10.6 Hazardous Decomposition Products

Oxides of the contained metal and halogen, possibly also free, or ionic halogen

SECTION 11 - TOXICOLOGICAL INFORMATION

Product LD50 Values Oral Rat LD50 (mg/kg)

260000

Dermal Rabbit LD50 (mg/kg)

Component Cancer List Status

	NTP Carcinogen			
	Known	Anticipated	IARC Category	
Tris-Base	No	No	None	
Potassium Chloride	No	No	None	
Polysorbate 20	No	No	none	

Potential Health Effects

Inhalation

Tris-Base

Causes irritation to the respiratory tract.

Potassium Chloride

May cause respiratory tract irritation. Can produce delayed pulmonary edema.

Polysorbate 20

Not expected to be a health hazard by inhalation.

Ingestion

Tris-Base

Causes irritation and reddening to the mucous membranes of the mouth, esophagus, and gastrointestinal tract.

Potassium Chloride

May produce weakness and circulatory problems. May affect heart. In severe cases, ingestion may be fatal.

Polysorbate 20

Large doses may produce abdominal spasms, diarrhea.

Skin

Tris-Base

Causes irritation to the skin.

Potassium Chloride

Contact may cause irritation or rash, particulary with moist skin.

Polysorbate 20

May cause irritation or sensitization in sensitive individuals.

Eyes

Tris-Base

Causes irritation to the eyes.

Potassium Chloride

Potassium chloride is moderate eye irritant. Redness, tearing, possible abrasion can occur.

Polysorbate 20

May cause irritation.

Carcinogenicity

Tris-Base

Not listed as a carcinogen by NTP or IARC.

Potassium Chloride

Not listed by ACGIH, IARC, NIOSH, NTP, OR OSHA.

Polysorbate 20

Not listed as a known or anticipated carcinogen by NTP or IARC.

Mutagenicity

Tris-Base

No information found.

Potassium Chloride

Unscheduled DNA Synthesis: Oral, rat = 1500 ug/kg.; Mutation in Microorganisms = Mouse, Lymphocyte = 2048 mg/L.; DNA Damage = Hamster, Ovary = 260 mmol/L.; Cytogenetic Analysis: Hamster, Lung = 12 gm/L

Polysorbate 20

No information found.

Reproductive Toxicity

. Tris-Base

No information found.

Potassium Chloride

No information available.

Polysorbate 20

No information found.

Teratogenic Effects

Tris-Base

No information found.

Potassium Chloride

No information available.

Polysorbate 20

No information found.

Routes of Entry

Tris-Base

Ingestion.

Potassium Chloride

Ingestion, inhalation, skin and eye contact.

Polysorbate 20

No information found.

Target Organ Statement

Tris-Base

No information available.

Potassium Chloride

Polysorbate 20

No information found.

SECTION 12 - ECOLOGICAL INFOMATION

12.1 Toxicity

COMPONENT: Tris-Base

COMIT CITETTI I I I DAGO	Vertebrates	Invertebrates	Algae	Microorganisms
Aquatic Toxicity	LC50 460mg/l (Golden		EC50: 473mg/l @ 48	
(ppm unless otherwise noted)	ide)	(Daphnia)	hrs	(3hrs)
(FF	,	(= = =)		(====)
	Birds	Arthropods	Plants	Microorganisms
Terrestrial Environment Toxicity	No data	No data	No data	No data
(ppm unless otherwise noted)				
COMPONENT: Potassium Chloride				
	Vertebrates	Invertebrates	Algae	Microorganisms
Aquatic Toxicity	LC50 (96hr, Fathead	EC50 (48hr, Daphnia)	EC50 (72hrs)	EC50 (3hr) >1000mg/L
(ppm unless otherwise noted)	minnow) 880mg/L	440-880 mg/L	>100mg/L	
	Birds	Arthropods	Plants	Microorganisms
Terrestrial Environment Toxicity	No data	No data	No data	No data
(ppm unless otherwise noted)				
COMPONENT: Polysorbate 20				
	Vertebrates	Invertebrates	Algae	Microorganisms
Aquatic Toxicity	No data	No data	No data	No data
(ppm unless otherwise noted)				
	Birds	Arthropods	Plants	Microorganisms
Terrestrial Environment Toxicity No data		No data	No data	No data

12.2 Persistence and Degradability

(ppm unless otherwise noted)

Tris-Base

Readily Biodegradable (>97% degradation at 28 days)

Potassium Chloride

No data

Polysorbate 20

No data

12.3 Bioaccumulative Potential

Tris-Base

No data

Potassium Chloride

No data

Polysorbate 20

No data

12.4 Mobility in Soil

Tris-Base

Log Koc 1.57-1.85

Potassium Chloride

No data

Polysorbate 20

12.5 Results of PBT and vPvB Assessment

Tris-Base

Not a PBT or vPvB

Potassium Chloride

No data

Polysorbate 20

No data

12.6 Other Adverse Effects

Tris-Base

None

Potassium Chloride

None

Polysorbate 20

None

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Offer surplus or non-recyclable product to licensed disposal company. Disposal is subject to user compliance with applicable law and product characteristics at time of disposal. Dispose of packaging as product.

SECTION 14 - TRANSPORT INFORMATION

	ADR/RID	IATA	IMO	DOT
14.1 UN Number	N.A.	N.A.	N.A.	N.A.
14.2 Shipping Name	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.3 Hazard Class	N.A.	N.A.	N.A.	N.A.
14.4 Packing Group	N.A.	N.A.	N.A.	N.A.
14.5 Environmental Hazards	N.A.	N.A.	N.A.	N.A.
14.6 Special Precautions	N.A.	N.A.	N.A.	N.A.

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance/Mixture United States

TSCA Regulatory Statement

All intentional ingredients are listed on the TSCA Inventory.

SARA 311/312 Hazard Categories

Component	Fire	Pressure	Reactivity	Acute	Chronic
Tris-Base	No	No	No	Yes	No
Potassium Chloride	No	No	No	Yes	No
Polysorbate 20	No	No	No	Yes	No

Europe

EEC Regulatory

All intentional ingredients are listed on the European EINECS Inventory.

SECTION 16 - OTHER INFORMATION

Revisional Updates

4/26/2019 - Updated Section 1.4

5/29/2015 - Updated Sections 2.1 and 3.2

6/27/2013- Released Version 1.0

NFPA Codes

Health 1 Flammability 0 Reactivity 0

Dangers

Tris-Base

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

Potassium Chloride

None

Polysorbate 20

None

MANUFACTURER DISCLAIMER: The information given herein is offered in good faith as accurate, but without guarantee. Conditions of the use and suitability of the product for particular uses are beyond our control. All risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.