Product Name: ProtoMetrics

Conforms to regulation (EC) no. EU 453/2010

Version 3.0

Date revised: 4/26/2019

national diagnostics

### SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Number: EC-899

1.2 Relevant Identified Uses of the Substance/Mixture and Uses Advised Against Investigational research by professional users

### 1.3 Details of the Supplier of the Safety Data Sheet

Manufacturer National Diagnostics 305 Patton Drive Atlanta, GA 30036 (404) 699-2121 (800) 526-3867 info@nationaldiagnostics.com

### 1.4 Emergency Telephone Number

### ChemTel Inc.

Contract number MIS8894340 1-800 255-3924 (United States, Canada, Puerto Rico & US Virgin Islands) 01-800-099-0731 (Mexico) 400-120-0751 (China) 000-800-100-4086 (India) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) +1-813-255-3924 (All other regions)

### **SECTION 2 - HAZARDS IDENTIFICATION**

### 2.1 Classification of the Substance or Mixture

### Classification according to Regulation (EC) No. 1272/2008 [EU-GHS/CLP]

- H302 Acute Toxicity-Oral (Category 4)
- H312 Acute Toxicity-Dermal (Category 4)
- H315 Skin Corrosion/Irritation (Category 2)
- H319 Serious Eye Damage/Eye Irritation (Category 2A)
- H332 Acute Toxicity-Inhalation (Category 4)

### 2.2 Label Elements GHS LABEL ELEMENTS AND CLASSIFICATION **GHS Label Elements**



#### WARNING

H302 - Harmful if swallowed H312 - Harmful in contact with skin. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H332 - Harmful if inhaled. P262 - Do not get into eyes, on skin or on clothing. P264 - Wash skin thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician IF you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P304+P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

2.3 Other Hazards

None found.

### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixture

### **Chemical Names/Description**

Aqueous solution of tris base, SDS, glyerol, mercaptoethanol (and proteins <1%)

Component	List
-----------	------

Component	% Comp.	CAS #	EC #	1278/2008
		1 of 7		

				Classification
2-Mercaptoethanol	2	60-24-2	200-464-6	H301, H310, H315,
				H317, H318, H331,
				H373, H400, H410
Tris-Base	1.5	77-86-1	201-064-4	H315, H319, H335

### **SECTION 4 - FIRST AID MEASURES**

### 4.1 Description of First Aid Measures

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

#### Ingestion

Do not induce vomiting. If swallowed and the person is conscious, immediately give large amounts of water. Get medical attention.

#### Skin

Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

#### Eyes

Immediately flush eyes with plenty of water for at least fifteen minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

#### 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

#### Inhalation

#### 2-Mercaptoethanol:

Symptoms may include coughing, sore throat, shortness of breath, headaches, nausea, and vomiting. Prolonged exposure can cause CNS stimulation.

#### Tris-Base:

Coughing, shortness of breath.

#### Ingestion

### 2-Mercaptoethanol:

Symptoms may include sore throat, abdominal pain, and vomiting.

#### Tris-Base:

Symptoms may include nausea, vomiting, and diarrhea. Large oral doses may cause weakness, collapse, blood clotting, and coma. The estimated lethal dose of Tris Base is 50 grams dry solid.

#### Skin

#### 2-Mercaptoethanol:

Symptoms may include skin irritation.

#### Tris-Base:

Redness, itching, and pain.

#### Eyes

2-Mercaptoethanol: Symptoms may include redness and pain.

#### Tris-Base:

Redness, itching, and pain.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed Unknown/not applicable

### **SECTION 5 - FIRE FIGHTING MEASURES**

#### 5.1 Extinguishing media

Use media appropriate to the primary cause of fire.

### 5.2 Special Hazards Arising from the Substance/Mixture

### Hazardous Combustion Products

Thermal decomposition products may include toxic oxides of nitrogen, sulfur, and carbon.

#### **Hazardous Decomposition Products**

Toxic gases may be involved in a fire. Glycerin decomposes upon headting above 290C, forming corrosive gas (acrolein).

#### **Hazardous Polymerization**

Will not occur under normal conditions of use (See Sections 10.4 & 10.5).

#### 5.3 Advice for Firefighters

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the

#### 5.4 Further Information

No data available.

### **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

6.1 Personal Precautions

Wear appropriate protective equipment as specified in Section 8.

### **6.2 Environmental Precautions**

Prevent discharge into the environment. Dike spills and stop leakage where practical. Do not allow material to enter drains.

### 6.3 Methods and Materials for Containment and Cleaning Up

Contain and clean up spill immediately, prevent from entering floor drains. Contain liquids using absorbents. Shovel all spill materials into disposal drum. Scrub spill area with detergent, flush with copious amounts of water.

### 6.4 References to Other Sections

For disposal information, see Section 13. For protective clothing and equipment, see Section 8.

### SECTION 7 - HANDLING AND STORAGE

#### 7.1 Precautions for Safe Handling

Avoid contact and inhalation. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling.

### 7.2 Conditions for Safe Storage (including any incompatibles)

Keep frozen until ready to use. Protect from physical damage. Isolate from incompatible materials (section 10).

#### Incompatibles

2-Mercaptoethanol: Oxidizing agents, moisture, Avoid contact with metals.

Tris-Base:

No incompatibility data found.

### 7.3 Specific End Uses

Investigational research by professional users

### SECTION 8 - EXPOSURE CONTROLS/PERSONAL PRECAUTIONS

### 8.1 Control Parameters

**Component: 2-Mercaptoethanol** ACGIH Threshold Limit Value (TLV): Not Established OSHA Permissable Exposure Limit (PEL): AIHA WEEL 0.2ppm, 8 hr. TWA

#### **Component: Tris-Base** ACGIH Threshold Limit Value (TLV): none established OSHA Permissable Exposure Limit (PEL): none established

### 8.2 Exposure Controls

#### **Engineering Controls**

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source.

#### **Respiratory Protection**

If the exposure limit is exceeded, wear a supplied air, full-facepiece respirator, airlined hood, or full-facepiece self-contained breathing apparatus.

#### **Eve Protection**

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

#### **Skin Protection**

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on Basic Physical & Chemical Properties a. Appearance Clear, colorless solution b. Odor None c. Odor Threshold d. pH N.A. 6.8 -5 105 e. Melting/Freezing Point (°C) f. Boiling point (°C) N.A. h. Evaporation Rate Water g. Flash Point (°C)

i. Flammability	N.A.	j. Upper/Lower Flammability or Explosive Limits	N.A.
k. Vapor Pressure	Water	I. Vapor Density (Air = 1)	Water
m. Relative Density	No information.	n. Water Solubility	Soluble
o. Partition Coefficient n-octanol/water	mixture	p. Autoignition Temperature ( <sup>o</sup> C)	N.A.
q. Decomposition Temperature ( <sup>o</sup> C)	N.A.	r. Viscosity	No data available.
s. Explosive Properties	N.A.	t. Oxidizing Properties	not an oxidizer

### **SECTION 10 - STABILITY AND REACTIVITY**

### 10.1 Reactivity

Non reactive under normal conditions of use and storage.

### 10.2 Chemical Stability

Stable under recommended conditions of use and storage.

### **10.3 Possibility of Hazardous Reactions**

Will not occur under normal conditions of use (See Sections 10.4 & 10.5).

### **10.4 Conditions to Avoid**

Heat, incompatibles.

### **10.5 Incompatible Materials**

### 2-Mercaptoethanol:

Oxidizing agents, moisture, Avoid contact with metals.

#### Tris-Base:

No incompatibility data found.

### **10.6 Hazardous Decomposition Products**

Toxic gases may be involved in a fire. Glycerin decomposes upon headting above 290C, forming corrosive gas (acrolein).

### **SECTION 11 - TOXICOLOGICAL INFORMATION**

### Product LD50 Values

### Oral Rat LD50 (mg/kg)

12200

Dermal Rabbit LD50 (mg/kg) 7500

### **Component Cancer List Status**

	NTP Ca		
	Known	Anticipated	IARC Category
2-Mercaptoethanol	No	No	None
Tris-Base	No	No	None

### **Potential Health Effects**

#### Inhalation 2-Mercaptoethanol

Vapors irritate the mucous membranes and respiratory tract.

#### Tris-Base

Causes irritation to the respiratory tract.

#### Ingestion

#### 2-Mercaptoethanol

Toxic. Harmful if swallowed. Sore throat, abdominal pain and vomiting may occur.

#### Tris-Base

Causes irritation and reddening to the mucous membranes of the mouth, esophagus, and gastrointestinal tract.

#### Skin

#### 2-Mercaptoethanol

Toxic. Causes skin irritation and may be absorbed in the body in toxic quantities.

#### Tris-Base

Causes irritation to the skin.

#### 2-Mercaptoethanol

Vapors irritate the eyes with redness and pain. Splashes may cause severe irritation.

#### Tris-Base

Causes irritation to the eyes.

#### Carcinogenicity 2-Mercaptoethanol

Substance is neither a known nor an anticipated carcinogen. Not listed by NTP, IARC, or OSHA.

#### Tris-Base

Not listed as a carcinogen by NTP or IARC.

### **Mutagenicity**

**2-Mercaptoethanol** No information available.

## Tris-Base

No information found.

### **Reproductive Toxicity**

**2-Mercaptoethanol** No information available.

Tris-Base No information found.

### **Teratogenic Effects**

**2-Mercaptoethanol** No information available.

Tris-Base No information found.

### **Routes of Entry**

2-Mercaptoethanol Toxic effects possible by inhalation, ingestion, and skin absorption.

### Tris-Base

Ingestion.

### **Target Organ Statement**

#### 2-Mercaptoethanol

Behavioral: Tremor, convulsion, excitement, muscle contraction/spasticity. Lungs, thorax: Respiratory depression. GI: Changes in structure/function of salivary glands.

### Tris-Base

No information available.

### **SECTION 12 - ECOLOGICAL INFOMATION**

# 12.1 Toxicity

Vertebrates	Invertebrates	Algae	Microorganisms
LC50 (96hr, golden orfe) 37 mg/L	EC50 (daphnia, 48 hr) 0.4 mg/L	LC50 (96h) : 19 mg/L	EC50 (17 h) : 113 mg/
Birds	Arthropods	Plants	Microorganisms
No data	No data	No data	No data
Vertebrates	Invertebrates	Algae	Microorganisms
LC50 460mg/l (Golden ide)	EC50: 59.8 mg/L (Daphnia)	EC50: 473mg/l @ 48 hrs	CE50>1000mg/L (3hrs)
Birds	Arthropods	Plants	Microorganisms
No data	No data	No data	No data
	LC50 (96hr, golden orfe) 37 mg/L Birds No data Vertebrates LC50 460mg/I (Golden ide) Birds	LC50 (96hr, golden orfe) 37 mg/L   EC50 (daphnia, 48 hr) 0.4 mg/L     Birds   Arthropods     No data   No data     Vertebrates   Invertebrates     LC50 460mg/l (Golden ide)   EC50: 59.8 mg/L (Daphnia)     Birds   Arthropods	LC50 (96hr, golden orfe) 37 mg/L EC50 (daphnia, 48 hr) LC50 (96h) : 19 mg/L   Birds Arthropods Plants   No data No data No data   Vertebrates Invertebrates Algae   LC50 460mg/l (Golden ide) EC50: 59.8 mg/L (Daphnia) EC50: 473mg/l @ 48 hrs   Birds Arthropods Plants

### 12.2 Persistence and Degradability

2-Mercaptoethanol

Biodegradable (90% in 28 days)

Tris-Base Readily Biodegradable (>97% degradation at 28 days)

### **12.3 Bioaccumulative Potential**

2-Mercaptoethanol No data

Tris-Base No data

### 12.4 Mobility in Soil

2-Mercaptoethanol Koc 1.325

Tris-Base Log Koc 1.57-1.85

### 12.5 Results of PBT and vPvB Assessment

2-Mercaptoethanol Not a PBT or vPvB

Tris-Base Not a PBT or vPvB

### **12.6 Other Adverse Effects**

2-Mercaptoethanol None

Tris-Base None

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

### **13.1 Waste Treatment Methods**

Offer surplus or non-recyclable product to licensed disposal company. Disposal is subject to user compliance with applicable law and product characteristics at time of disposal. Dispose of packaging as product.

### **SECTION 14 - TRANSPORT INFORMATION**

	ADR/RID	ΙΑΤΑ	IMO	DOT
14.1 UN Number	N.A.	N.A.	N.A.	N.A.
14.2 Shipping Name	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.3 Hazard Class	N.A.	N.A.	N.A.	N.A.
14.4 Packing Group	N.A.	N.A.	N.A.	N.A.
14.5 Environmental Hazards	N.A.	N.A.	N.A.	N.A.
14.6 Special Precautions	N.A.	N.A.	N.A.	N.A.

### **SECTION 15 - REGULATORY INFORMATION**

### 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance/Mixture United States

#### **TSCA Regulatory Statement**

All intentional ingredients are listed on the TSCA Inventory.

#### SARA 311/312 Hazard Categories

Component	Fire	Pressure	Reactivity	Acute	Chronic
2-Mercaptoethanol	Yes	No	No	Yes	No
Tris-Base	No	No	No	Yes	No

#### Europe

EEC Regulatory

All intentional ingredients are listed on the European EINECS Inventory.

### **SECTION 16 - OTHER INFORMATION**

### **Revisional Updates**

4/26/2019 - Updated Section 1.4 5/29/2015 - Updated Sections 2.1 and 3.2 10/11/2013 - Released Version 1.0

### **NFPA Codes**

Health N.D. Flammability N.D. Reactivity N.D.

### Dangers

2-Mercaptoethanol H301 - Toxic if swallowed

- H310 Fatal in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H401 Toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

### Tris-Base

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

**MANUFACTURER DISCLAIMER:** The information given herein is offered in good faith as accurate, but without guarantee. Conditions of the use and suitability of the product for particular uses are beyond our control. All risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.