#### Date revised: 10/30/2009

# MATERIAL SAFETY DATA SHEET



Conforms to 93/112/EC and ISO 11014-1

1. Chemical Product and Company Identification

Product Name: Histosol Product Number: HS-100

**Chemical Names/** 

**Description:** 

Light Aromatic Solvent Naphtha

Manufacturer Telephone Numbers

National Diagnostics 305 Patton Drive Atlanta, GA 30336

(800) 526-3867 (404) 699-2121

**Emergency Numbers** 

Chemtrec

(800) 424-9300 (U.S. & Canada)

01-703-527-3887 (outside U.S. & Canada)

2. Composition/Information on Ingredients

Component % Comp. CAS # EINECS # TLV (Units)
Solvent Naphtha, Light Aromatic 100 64742-95-6 265-199-0 50 ppm

# **EEC LABEL SYMBOL AND CLASSIFICATION**



R: 10-22

Flammable. Harmful if swallowed.

S: (2-) 23-24-62

Keep out of reach of children. Do not breathe fumes.

Avoid contact with the skin. If swallowed, do not induce vomiting. Seek medical advice immediately and show this container or label.

### 3. Hazards Identification

### Appearance and Odor

Clear, colorles liquid with a moderate, aromatic odor

**EMERGENCY OVERVIEW - IMMEDIATE HAZARD** 

POISON! DANGER! UNDILUTED COMPONENTS CAUSE BURNS TO ANY AREA OF CONTACT. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED. CONTACT WITH

#### OTHER MATERIALS MAY CAUSE FIRE.

#### EMERGENCY OVERVIEW - CHRONIC HAZARD WARNING:

CHRONIC EXPOSURE TO ORGANIC SOLVENTS HAS BEEN ASSOCIATED WITH VARIOUS NEUROTOXIC EFFECTS INCLUDING PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. SYMPTOMS INCLUDE: LOSS OF MEMORY, LOSS OF INTELLECTUAL ABILITY, AND LOSS OF COORDINATION.

#### **Potential Health Effects**

#### Inhalation

SLIGHTLY TOXIC. Breathing of the mists, vapors or fumes may irritate the nose, throat, and lungs. May cause central nervous system depression or effects. May cause cardiac sensitization, including arrhythmias (irregular heart beats) and death due to cardiac arrest. Chronic exposure to high doses may damage the peripheral nerves, resulting in numbness or tingling in the extremities. See also Reproductive Toxicity and Target Organ Statement for further special toxic effects.

#### Ingestion

MODERATELY TOXIC. May cause irritation of the mouth, throat, and gastrointestinal tract. Aspiration into lungs may cause chemical pneumonia and lung damage. Aspiration symptoms may be delayed in onset by up to 24 hours. Exposure may also cause central nervous system symptoms similar to those listed under Signs and Symptoms of Overexposure - Inhalation. See also Reproductive Toxicity and Target Organ Statement for further special toxic effects.

#### Skin

SLIGHTLY IRRITATING. Contact may cause reddening, itching and inflammation. Repeated or prolonged skin contact may cause reddening, itching and inflammation. Defatting agent.

#### **Eyes**

SLIGHTLY IRRITATING. Exposure to vapors, fumes or mists may cause irritation. Direct contact may cause irritation, redness, tearing, and blurred vision. Prolonged or repeated exposure may cause irritation and conjunctivitis.

# Signs and Symptoms of Overexposure

#### Inhalation

Symptoms may include sore throat, coughing, labored breathing, sneezing and burning sensation, depending on the concentration and duration of exposure. If CNS depression or effects occur, symptoms include headache, excitation, euphoria, dizziness, incoordination, drowsiness, light-headedness, blurred vision, fatigue, tremors, contulsions, loss of consciousness, coma, respiratory arrest and death, depending on the concentration and duration of exposure.

#### Ingestion

Ingestion symptoms may include salivation, pain, nausea, vomiting, and diarrhea. Exposure may also cause central nervous system symptoms similar to those listed under Inhalation

#### Skin

Reddening, itching, and inflammation.

#### **Eves**

Irritation, redness, tearing, and blurred vision.

### Carcinogenicity

Benzene, a known carcinogen, may be present in trace amounts, less than 50 ppm. Otherwise, there are no known or anticipated carcinogens present in Naphtha.

#### Mutagenicity

No information available.

#### Reproductive Toxicitiv

This product contains components which may cause adverse reproductive effects. Pregnant women may be at an increased risk from exposure. Consumption of alcoholic beverages may enhance toxic effects.

### **Teratogenic Effects**

This product contains components which may cause adverse developmental effects. Pregnant women may be at an increased risk from exposure. Consumption of alcoholic beverages may enhance toxic effects.

#### **Routes of Entry**

Inhalation, ingestion, or skin contact.

## Target Organ Statement

Acute or chronic overexposure to this material or its components may cause systemic toxicity, including adverse effects to the following: kidney, liver, spleen, adrenals, thymus and central nervous system. Pre-existing medical conditions which may be aggravated by exposure include disorders of the skin, kidney, liver, cardiovascular and respiratory systems.

#### 4. First Aid Measures

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

#### Ingestion

Do not induce vomiting. If swallowed and the person is conscious, immediately give large amounts of water. Get medical attention.

#### Skin

Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

#### **Eves**

Immediately flush eyes with plenty of water for at least fifteen minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

#### Fire Fighting Measures

Flash Point 114 F (44.4 C) Flammable Limits ND

Flash Point Method TCC Autoignition 865.4 F (463 C)

temperature

### **Extinguishing media**

Dry powder, foam, carbon dioxide. (Water may be ineffective.)

# **Protective Equipment**

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

### **Hazardous Combustion Products**

Thermal decomposition products may include toxic oxides of nitrogen, sulfur, and carbon.

### **Unusual Fire and Explosion Hazards**

Flammable liquid. Vapor forms explosive mixtures with air. Vapor may travel considerable distances to ignition source and flash back.

NFPA Codes: Health 1 Flammability 2 Reactivity 0

# 6. Accidental Release Measures

### Steps to be taken in case material is released or spilled

Isolate hazard area and deny entry. Keep ignition sources out of area and shut off all ignition sources.

Absorb spill with inert material (e.g. dry sand or earth) then place in a chemical waste container.

### **Waste Disposal Method**

Disposal must be made in accordance with applicable federal, state, and local regulations.

#### **Personal Precautions**

Wear appropriate protective equipment as specified in section 8.

# 7. Handling and Storage

### Handling

Ground lines and equipment used during transfer to reduce the possibility of static spark-initiated fire or explosion. Use non-sparking tools. Do not eat, drink or smoke in areas of use or storage.

# **Storage**

Keep in a tightly closed container, stored in a cooled, dry, ventilated area away from sources of heat or ignition. Protect from physical damage. Isolate from incompatible materials (section 10).

### **Storage Temperature**

Room Temperature

### Disposal

Observe all national, state, and local regulations regarding product disposal. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquids).

# 8. Exposure Controls/Personal Protection

### **Airborne Exposure Limits**

Component: Solvent Naphtha, Light Aromatic ACGIH Threshold Limit Value (TLV): 50 ppm OSHA Permissable Exposure Limit

(PEL):

#### **Engineering Controls**

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborn Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source.

#### **Respiratory Protection**

For conditions of use where exposure to the substance is apparent, consult an industrial hygienist. For emergencies, or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator.

#### **Eye Protection**

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

### **Skin Protection**

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

#### **Other Control Measures**

Use good personal hygiene.

# 9. Physical Properties

**Evaporation Boiling point** 300 F (148.9 C)

very slow Rate

Melting point ND

Solubity in

water

negligible

Vapor

pressure pН neutral

(mmHg)

**Specific** 

Vapor gravity (H2O 0.87 @ 60 F 3.5 density (Air

= 1)

= 1) % volatile by

# 10. Stability and Reactivity

# Stability

Incompatible with oxidizing agents.

### **Conditions to Avoid**

Heat, sources of ignition.

# **Hazardous Decomposition Products**

Combustion may produce oxides of carbon, nitrogen, and sulfur.

# **Hazardous Polymerization**

Will not occur

# **Incompatibles**

Solvent Naphtha, Light Aromatic:

Oxidizing agents.

# 11. Toxicological Information

# **Product LD50 Values**

Histosol Oral Rat LD50 (mg/kg): no data available Dermal Rabbit LD50 (mg/kg): no data available Histosol

# **Component Cancer List Status**

NTP Carcinogen

	Known	Anticipated	IARC Category
Solvent Naphtha, Light Aromatic	No	No	3

# 12. Ecological Information

Solvent Naphtha, Light Aromatic

No information available.

# 13. Disposal Considerations

Observe all national, state, and local regulations regarding product disposal. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquids).

# 14. Transport Information

D.O.T.

Proper Shipping Name: Petroleum Products, N.O.S.

Hazard Class: 3 UN Number: 1268 Packing Group: 3

I.A.T.A.

Proper Shipping Name: Petroleum Products, N.O.S.

Hazard Class: 3 UN Number: 1268 Packing Group: 3

I.M.O.

Proper Shipping Name: Petroleum Products, N.O.S.

Hazard Class: 3 UN Number: 1268 Packing Group: 3

# 15. Regulatory Information

#### **United States**

### **TSCA Regulatory Statement**

All intentional ingredients are listed on the TSCA Inventory.

#### SARA 311/312 Hazard Categories

Component	Fire	Pressure	Reactivity	Acute	Chronic
Solvent Naphtha, Light	Yes	No	No	Yes	Yes
Aromatic	163	NO	INO	163	163

### **Europe**

# **EEC Regulatory**

All intentional ingredients are listed on the European EINECS Inventory.

#### **EEC LABEL SYMBOL AND CLASSIFICATION**



R: 10-22

Flammable. Harmful if swallowed.

S: (2-) 23-24-62

Keep out of reach of children. Do not breathe fumes.

Avoid contact with the skin. If swallowed, do not induce vomiting. Seek medical advice immediately and show this container or label.

### 16. Other Information

NFPA Codes: Health 1 Flammability 2 Reactivity 0

MANUFACTURER DISCLAIMER: The information given herein is offered in good faith as accurate, but without guarantee. Conditions of the use and suitability of the product for particular uses are beyond our control. All risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for

handling procedures should be provided to handlers and users.					

uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe